Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S25 9	51	(search\$3 with application with backup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:36
S26 0	25	(search\$3 with application with restore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:40
S26 1	3	2004/0107199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:47
S26 2	1	10/707708	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:47
S26 3	1	2003/0220894	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:33
S26 4	3	"20030220894"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:34
S26 5	2	"20040107199"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:35
S26 6	3362	(restore\$3 same (application with (file or data or record)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/01/11 17:48

_ 			T			T
S26 7	284	S266 and (search\$3 with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:49
S26 8	52	S266 and ((search\$3 with application) same match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:56
S26 9	78	(search\$3 with (application near2 program)) and (restore with (data or file or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 09:53
S27 0	2	"20030055812"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:03
S27 1	28	(search\$3 with application) same (restore\$3 with (file or data or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:05
S27 2	330	(restore\$3 with (data near2 application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:05
S27 3	32	(restore\$3 with (data near2 application near2 program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/01/12 10:19
S27 4	8	(search\$3 with (application near2 program)) and (restor\$3 with (application near2 data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:27

S27 5	1	(match\$3 with PDA) same (restore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:27
S27 6	16	(match\$3 with model) same (restore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:28
S27 7	60	(match\$3 with program) same (restore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:38
S27 8	749	(match\$3 with restore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:39
S27 9	73	(match\$3 with restore).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:39
S28 0	10	(match\$3 with restore) same (application near2 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:40
S28 1	25	(match\$3 same restore) same (application near2 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:41
S28 2	157	"707"/\$.ccls. and (match\$3 same restore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:32


					·	
S28 3	1	707/204 and ((application with correspond\$3 with data) same (restore with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:33
S28 4	119	707/204 and ((application with data) same (restore with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 12:20
S28 5	16	(search\$ with application with correspond with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 12:21
S28 6	0	(search\$ with application with correspond with data) same restore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 12:21
S28 7	873	707/204 and restore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 12:22
S28 8	. 44	707/204 and restore and (search\$ same restore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/01/12 12:30
S28 9	805	(application near2 programs) and (backup near2 file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 12:31
S29 0	60	(application near2 programs) same (backup near2 file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/01/12 12:31

			T		T	
S29 1	25	S290 and restore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 14:58
S29 2	8119	Aihara.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/01/12 14:58
S29 3	21	Aihara.in. and PDA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 14:58
S29 4	. 1	Aihara.in. and PDA and restore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 14:59
S29 5	207	shen.in. and restore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 14:59
S29 6	25	shen.in. and restore and backup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 14:59
S29 7	24	shen.in. and restore and backup and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 14:59
S29 8	19	shen.in. and restore and backup and time	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 15:35

		·				
S29 9	2	"6950836".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 15:41
S30 0	18	707/204 and (match\$3 with restore)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 15:45
S30 1	517	(match\$3 with restore)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 15:45
S30 2	28	(match\$3 with restore) and "707"/\$. ccls.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:20
S30 3	. 0	11/356261	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:20
\$30 4	1	11/356261	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:03
S30 5	246	(time near2 stamp) same duplicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:04
S30 6	277	(time near2 stamp\$1) same duplicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:04
530 7	8	(time near2 stamp\$1) same duplicate same delete	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:05

S30 8	0	(707/204 or 707/202) and ((match\$3 same version\$1) same duplicate same delete)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:06
S30 9	5	(707/204 or 707/202) and (match\$3 same duplicate same delete)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:06
S31 0	13	"707"/\$.ccls. and (delete with duplicat\$2 with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/14 11:16
S31 1	1	(nodes same cricuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/14 11:17
S31 2	0	(nodes same cricuit same address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/14 11:18
S31 3	23457	(nodes same address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/14 11:18
S31 4	3	(nodes same address) and cricuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/14 11:33

Sign in



Web Results 1 - 10 of about 1,080,000 for matching data application with data to restore the data. (0.25 sec

Storage Networking World Online - Data reduction for disk-based ...

This article focuses on the application of data reduction to disk-based backups. ... For requests to restore data from an earlier backup file, ...

www.snwonline.com/evaluate/reduction_07-03-06.asp?article_id=704 - 34k -

Cached - Similar pages

Developing with Core Data

In essence, it's your blueprint for your **application's data** types and the relationships between ... the undo manager can **restore** the state of the context. ... developer.apple.com/macosx/coredata.html - 28k - <u>Cached</u> - <u>Similar pages</u>

How to Reinstall Windows Without Losing Your Data

If your **restore** CD is reformat-only, back up your **data** files to a network or a ... Search for it in both your **Application Data** and oldstuff folders, ... pcworld.about.com/magazine/2109p156id111652.htm - 30k - <u>Cached</u> - <u>Similar pages</u>

Identifying **Data** to Replicate

As a way to update **application data**. For example, you have two replica members, ... the replica set and begin to replicate all files that **match** *.tmp. ... 207.46.196.114/WindowsServer/en/library/f95e4d7e-f4b8-4b1b-9950-016bca5c51091033.mspx - 23k - <u>Cached</u> - <u>Similar pages</u>

Contents

Validating character encoding in request data · Supported wildcard pattern matching characters · Web server response configuration ... publib.boulder.ibm.com/infocenter/tivihelp/ v2r1/topic/com.ibm.itame.doc/rev/am60_webseal_admin02.htm - 207k - Cached - Similar pages

Contents

Database file processing: **Data** recovery and integrity ... Trigger and **application** programs that are under commitment control · Trigger and **application** ... publib.boulder.ibm.com/iseries/v5r2/ic2924/info/dbp/rbafomst02.htm - 50k - Cached - Similar pages
[More results from publib.boulder.ibm.com]

Mac OS X: How to back up and restore your files

If the **application** backs up **data** but does not have features specific to restoring the **data**, ... which should **match** exactly the name of the user folder. ... docs.info.apple.com/article.html?artnum=106941 - 31k - <u>Cached</u> - <u>Similar pages</u>

How to: Restore Team Foundation Server Data

Do not **restore** this database if the Team Foundation **data**-tier server is connecting to a different Team Foundation **application**-tier server than the ... msdn2.microsoft.com/en-US/library/ms252458(VS.80).aspx - 39k - <u>Cached</u> - <u>Similar pages</u>

Business Objects Announces Business Objects Data Quality XI

A match wizard that guides administrators through the process of designing and deploying their matching strategies. Data Quality XI allows users to spend ... www.businessobjects.com/news/press/press2006/20060731_data_quality_xi_prod.asp -

23k - Cached - Similar pages

Continuous data protection requires a clear purpose in the enterprise In-band deployments exist in the data path between application servers and ... virus corruption or disk failure, a CDP platform can restore any number of ... searchstorage.techtarget.com/generic/0,295582,sid5_gci1213376,00.html - 85k - Cached - Similar pages

Result Page: 1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

Next

Get organized for the new year with Google Desktop.

matching data application with data



Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2007 Google